


HLA-Felder erfassen


Im Eintrag im Feld „Laboratory for HLA test“ das HLA – Labor angeben.



The screenshot shows the MEDAB software interface. The top menu bar includes 'Data Entry', 'Report', 'Export', 'Help', and 'Filter'. The title bar reads 'MEDAB -- [787][PRODUCTION][Regensburg]'. Below the menu bar, there are tabs for 'Index', 'Editor', and 'Overview', and a label 'DynFil:23:Lymphoma'. The main data entry area is a table with columns 'Donor', 'value', and 'label'. The 'HLA laboratory' section is expanded, showing a table with the following rows:

Donor	value	label
CIC		
Patient		
Treatment date	2017/06/29 00:00	2017/06/29 {exact}
Donor		1 1
HLA laboratory		
Laboratory details		
Laboratory for HLA test	Dr. Rost, Dr. Klein in ...	Dr. Rost, Dr. Klein in Martinsried
Unit / Contact at HLA laboratory		
Telephone / fax at HLA laboratory		
Technique used for HLA		

Danach kommt folgende Meldung



The screenshot shows a message dialog box titled 'Meldung von Webseite'. The dialog contains the following text:

--MESSAGE HAS CHANGED, PLEASE READ CAREFULLY--

If you want to proceed to enter the HLA data, click 'OK'.

If you want to forward the original HLA typing reports to your national registry, for them to do the data entry, click 'Cancel'.

You can use the document VDGALABO.PDF, which can be accessed from the bottom of the information panel for this field, to send the data to your national registry.

At the bottom of the dialog, there are two buttons: 'OK' and 'Abbrechen'.

Hier auf „OK“ drücken.

Der Cursor springt danach in die Felder „Unit / Contact at HLA laboratory“, „Telephone / fax at HLA laboratory“ und „Technique used for HLA“. Diese Felder können leer gelassen werden. Das anschließende Navigationsfeld mit Enter verlassen. Dann startet die Eingabe des Patienten-HLA:

Assessment(1)	value	label
CIC		
Patient		
Assessment date	2017/06/29 00:00	2017/06/29 {exact}
Patient HLA: DNA results		
DNA typing done		
HLA: DNA typing done		
Type A		
HLA A: DNA in allele 1 of the patient		
HLA A: MAC code for allele 1 in the patient		
HLA A: DNA in allele 2 of the patient		
HLA A: MAC code for allele 2 in the patient		
Type B		
HLA B: DNA in allele 1 of the patient		
HLA B: MAC code for allele 1 in the patient		

Die entsprechenden HLA-Werte können jeweils aus der Tabelle ausgewählt werden. Man kann in den Tabellen auch filtern. Beispiel: Der Patient hat HLA-A*03:01. Dann kann man die Liste mit „*03“ filtern (im entsprechenden Feld „*03“ eingeben).

Assessment(1)	value	label
CIC	8003	8003
Patient	2	2
Assessment date	2011/09/09 00:00	2011/09/09 {exact}
Patient HLA: DNA results		
DNA typing done		
HLA: DNA typing done	2	Yes
Type A		
HLA A: DNA in allele 1 of the patient		
HLA A: MAC code for allele 1 in the patient		
HLA A: DNA in allele 2 of the patient		
HLA A: MAC code for allele 2 in the patient		
Type B		
HLA B: DNA in allele 1 of the patient		
HLA B: MAC code for allele 1 in the patient		
HLA B: DNA in allele 2 of the patient		
HLA B: MAC code for allele 2 in the patient		
Type C		
HLA C: DNA in allele 1 of the patient		
HLA C: MAC code for allele 1 in the patient		
HLA C: DNA in allele 2 of the patient		
HLA C: MAC code for allele 2 in the patient		
Type DRB1		
HLA DRB1: DNA in allele 1 of the patient		
HLA DRB1: MAC code for allele 1 in the patient		
HLA DRB1: DNA in allele 2 of the patient		
HLA DRB1: MAC code for allele 2 in the patient		
Type DRB3		
HLA DRB3: DNA in allele 1 of the patient		
HLA DRB3: MAC code for allele 1 in the patient		
HLA DRB3: DNA in allele 2 of the patient		
HLA DRB3: MAC code for allele 2 in the patient		

Sonderfälle:

1. Multiallele-Code (MAC)

Kann nicht direkt aus der Tabelle ausgewählt werden. Hier bitte den Eintrag „MAC“ auswählen (nach „ma“ filtern) und den MAC in das darauffolgende Feld eintragen.

Assessment(1)	value	label
CIC	8003	8003
Patient	2	2
Assessment date	2011/09/09 00:00	2011/09/09 {exact}
Patient HLA: DNA results		
DNA typing done		
HLA: DNA typing done	2	Yes
Type A		
HLA A: DNA in allele 1 of the patient	MAC	MAC (old NMDP code)
HLA A: MAC code for allele 1 in the patient	01:FWEY	01:FWEY
HLA A: DNA in allele 2 of the patient		
HLA A: MAC code for allele 2 in the patient		
Type B		
HLA B: DNA in allele 1 of the patient		
HLA B: MAC code for allele 1 in the patient		
HLA B: DNA in allele 2 of the patient		

Note: NMDP codes are now called MAC: Multiple Allele Code. Relevant field labels have been changed to reflect this. The codes remain the same.

HLA A: MAC code for allele 1 in the patient

2. Nur ein HLA-Wert bei einem Locus angegeben

Hier wird dann beim zweiten Allel „OOVR“ ausgewählt (Tabelle nach „on“ filtern).

Assessment(1)	value	label
CIC	8003	8003
Patient	2	2
Assessment date	2011/09/09 00:00	2011/09/09 {exact}
Patient HLA: DNA results		
DNA typing done		
HLA: DNA typing done	2	Yes
Type A		
HLA A: DNA in allele 1 of the patient	A*74:13	A*74:13
HLA A: MAC code for allele 1 in the patient		
HLA A: DNA in allele 2 of the patient	OOVR	Only one value reported
HLA A: MAC code for allele 2 in the patient		

Wenn die HLA-Werte von Patient und Spender identisch sind, kann man sich die Eingabe des Spender-HLA ersparen, indem man im Feld „DNA HLA typing done“ den Eintrag „3 - Yes, identical. Copy results from patient“ auswählt.

Donor	value	label
CIC	8003	8003
Patient	2	2
Treatment date	2011/09/09 00:00	2011/09/09 {exact}
Donor	1	1
Donor HLA: DNA results		
HLA: DNA typing done		
DNA HLA typing done	3	3 Yes, identical. Copy results from patient
Type A		
HLA A: DNA in allele 1 of the donor	A*74:13	A*74:13
HLA A: MAC code for allele 1 in the donor		
HLA A: DNA in allele 2 of the donor	OOVR	Only one value reported
HLA A: MAC code for allele 2 in the donor		
Type B		
HLA B: DNA in allele 1 of the donor	B*07:02	B*07:02
HLA B: MAC code for allele 1 in the donor		
HLA B: DNA in allele 2 of the donor	B*07:02	B*07:02
HLA B: MAC code for allele 2 in the donor		

Note: Enter the HLA typing results for this donor

DNA HLA typing done

1 No

2 Yes

3 Yes, identical. Copy results from patient

99 unknown